




PROPOSED IMPERVIOUS SURFACES
 Proposed Single Family Residence &
 Garage: 2969 SF
 Proposed Driveway: 882 SF

TOTAL NEW: 3851 SF

NOTES:


1. Drain to Infiltration Trench.
2. All excavated material to be used as backfill or taken to an approved site.
3. Cut: 210 cyds; Fill 260 cyds (additional fill for driveway area)

LEGEND


-  Excavation Stockpiles (To be covered with plastic sheeting). BMP C123
-  Area of Disturbance = 6500 SF
Mark clearing limits. BMP C103
-  Erosion & Sedimentation Control: Silt Fencing (as needed) BMP C233

BEST MANAGEMENT PRACTICES

1. Pre-construction Meeting (if required).
2. Flag or fence clearing limits.
3. Install catch basic protection (if required).
4. Grade and install Construction Entrance BMP C105.
5. Install perimeter protection (Silt fence, brush barrier, etc. as required) BMP C123.
6. Grade and stabilize construction roads.
7. Cover all areas that will be unworked for more than seven days during the dry season or two days during the wet season with straw, wood fiber mulch, compost, plastic sheeting or equivalent.
8. Stabilize all areas within seven day of final grade. Temporary and Permanent re-seeding BMP C120; Sodding BMP C124; Mulching BMP C121.
9. Seed, sod, stabilize or cover any areas to remain unworked for more than 30 days.
10. Upon completion of the project, stabilize all disturbed areas and remove BMP's where appropriate.



SCALE:
1"=30'



LOT #162 NOOKACHAMP HILLS PUD PHASE 3 AND 4
 (PL07-0870); LOT SIZE .63 ACRES/27,367 SF

SHAW RESIDENCE

OWNER:
 SITE ADDRESS:
 PARCEL NO.:

PERMIT PROFESSIONALS, LLC.
 PO Box 416 · Friday Harbor, WA 98250